

# ANAPHYLAXIS MANAGEMENT POLICY

The *Education and Care Services National Regulations* requires approved providers to ensure services have policies and procedures in place for medical conditions including anaphylaxis. Anaphylaxis is a severe and sometimes sudden allergic reaction which is **potentially life threatening**. It can occur when a person is exposed to an allergen (such as food or an insect sting). Reactions usually begin within minutes of exposure and can progress rapidly over a period of up to two hours or more. Anaphylaxis should always be treated as a medical emergency, requiring immediate treatment. Most cases of anaphylaxis occur after a person is exposed to the allergen to which they are allergic, usually a food, insect sting or medication. Any anaphylactic reaction always requires an emergency response.

## NATIONAL QUALITY STANDARD (NQS)

QUALITY AREA 2: CHILDREN'S HEALTH AND SAFETY		
2.1.1	Wellbeing and comfort	Each child's wellbeing and comfort is provided for, including appropriate opportunities to meet each child's needs for sleep, rest and relaxation.
2.1.2	Health practices and procedures	Effective illness and injury management and hygiene practices are promoted and implemented.
2.2	Safety	Each child is protected.
2.2.1	Supervision	At all times, reasonable precautions and adequate supervision ensure children are protected from harm and hazard.
2.2.2	Incident and emergency management	Plans to effectively manage incidents and emergencies are developed in consultation with relevant authorities, practiced and implemented.

EDUCATION AND CARE SERVICES NATIONAL LAW AND NATIONAL REGULATIONS	
S. 165	Offence to inadequately supervise children
S. 167	Offence relating to protection of children from harm and hazards
S. 172	Failure to display prescribed information
12	Meaning of a serious incident
85	Incident, injury, trauma and illness policies and procedures



86	Notification to parents of incident, injury, trauma and illness
87	Incident, injury, trauma and illness record
89	First aid kits
90	Medical conditions policy
90(1)(iv)	Medical Conditions Communication Plan
91	Medical conditions policy to be provided to parents
92	Medication record
93	Administration of medication
94	Exception to authorisation requirement—anaphylaxis or asthma emergency
95	Procedure for administration of medication
101	Conduct of risk assessment for excursion
136	First aid qualifications
162	Health information to be kept in enrolment record
168	Education and care service must have policies and procedures
170	Policies and procedures to be followed
171	Policies and procedures to be kept available
173(2)(f)	Prescribed information to be displayed- a notice stating that a child who has been diagnosed as at risk of anaphylaxis is enrolled at the service
175	Prescribed information to be notified to Regulatory Authority

## PURPOSE

We aim to minimise the risk of an anaphylactic reaction occurring at our Service by following the *Anaphylaxis Management Policy*, developing and implementing risk minimisation strategies and following the child's ASCIA Action Plan. We will ensure that all staff members are adequately trained to respond appropriately and competently to an anaphylactic reaction.

## SCOPE

This policy applies to children, families, staff, management, the approved provider, nominated supervisor, students, volunteers and visitors of the Service.

## DUTY OF CARE

Our Service has a legal responsibility to take reasonable steps to ensure the health needs of children enrolled in the service are met. This includes our responsibility to provide:

- a. a safe environment for children free of foreseeable harm *and*
- b. adequate supervision of children at all times.

Our focus is keeping children safe and promoting the health, safety and wellbeing of children attending our Service. Staff members, including relief staff, need to be aware of children at the Service who suffer from allergies that may cause an anaphylactic reaction. Management will ensure all staff are aware of the location of children's Australasian Society of Clinical Immunology and Allergy (ASCIA) Action Plans, risk minimisation plan and required medication. This policy supplements our *Medical Conditions Policy*.

## BACKGROUND

Anaphylaxis is a severe, rapidly progressing allergic reaction that is potentially life threatening.

The most common allergens in children are:

- Peanuts
- Eggs
- Tree nuts (e.g., cashews, pistachios, almonds)
- Cow's milk
- Fish and shellfish
- Wheat
- Soy
- Sesame
- Certain insect stings (particularly bee stings)

Signs of anaphylaxis (severe allergic reaction) include any 1 of the following:

- difficult/noisy breathing
- swelling of tongue

- swelling/tightness in throat
- difficulty talking/and or a hoarse voice
- wheeze or persistent cough
- persistent dizziness or collapse
- pale and floppy (young children)
- abdominal pain and/or vomiting (signs of a severe allergic reaction to insects)

The key to the prevention of anaphylaxis, and response to anaphylaxis within the Service, is awareness and knowledge of those children who have been diagnosed as at risk, awareness of allergens that could cause a severe reaction, and the implementation of preventative measures to minimise the risk of exposure to those allergens. It is important to note however, that despite implementing these measures, the possibility of exposure cannot be completely eliminated. Communication between the Service and families is vital in understanding the risks and helping children avoid exposure.

Adrenaline given through an adrenaline autoinjector (such as an EpiPen® or Anapen®) into the muscle of the outer mid-thigh is the most effective first aid treatment for anaphylaxis.

## IMPLEMENTATION

We will involve all educators, families and children in regular discussions about medical conditions and general health and wellbeing throughout our curriculum. Children at risk of anaphylaxis will not be enrolled into the Service until the child's personal ASCIA Action Plan is completed and signed by their medical practitioner. A site-specific risk minimisation and communication plan must be developed with parents/guardians to ensure risks are minimised and strategies developed for minimising any risk to the child.

The [ASCIA Action Plans](#) meet the requirements of regulation 90 as a medical management plan. It is imperative that all educators and volunteers at the Service follow a child's ASCIA Action Plan in the event of an incident related to a child's specific health care need, allergy, or medical condition.

The Service will adhere to privacy and confidentiality procedures when dealing with individual health needs, including having families provide written authorisation to display the child's ASCIA Action Plan in prominent positions within the Service.

### THE APPROVED PROVIDER, NOMINATED SUPERVISOR/ WILL ENSURE:

- obligations under the *Education and Care Services National Law and National Regulations* are met
- all staff, educators, students, visitors and volunteers have knowledge of and adhere to this policy and the Service's *Medical Condition Policy*
- the [Best practice guidelines](#) for anaphylaxis prevention and management in children's education and care services are implemented
- that as part of the enrolment process, **all** parents/guardians are asked whether their child has been diagnosed as being at risk of anaphylaxis or has severe allergies and clearly document this information on the child's enrolment record
- if the answer is yes, the parents/guardians are required to provide an ASCIA Action Plan signed by a registered medical practitioner **prior** to their child's commencement at the Service
- parents/guardians of an enrolled child who is diagnosed with anaphylaxis are provided with a copy of the *Anaphylaxis Management Policy, Medical Conditions Policy and Administration of Medication Policy*
- at least one educator, staff member or nominated supervisor is in attendance and immediately available at all times children are being cared for by the service who:
  - holds a current ACECQA approved first aid qualification
  - undertaken current ACECQA approved emergency asthma management and
  - current ACECQA approved emergency anaphylaxis management training
- all staff and educators have completed ACECQA approved first aid training at least every 3 years and cardiopulmonary resuscitation (CPR) at least every 12 months
- staff responsible for preparing, serving and supervising food for children with food allergies should undertake the *All about Allergens for Cooks and Chefs* and *All about Allergens for Children's Education and Care (CEC)* online courses- [Food Allergy Aware Training](#)
- staff training is kept up to date in each staff member's record
- that all staff members are aware of
  - any child 'at risk' of anaphylaxis enrolled in the Service
  - the child's individual ASCIA Action Plan and its location
  - symptoms and recommended immediate action for anaphylaxis and allergic reactions and,
  - the location of their EpiPen® / Anapen® device
- risk minimisation strategies are discussed regularly at staff meetings
- that the child's risk minimisation plan is reviewed following exposure to a known allergen while attending our Service

- that a copy of this policy is provided and reviewed during each new staff member's induction process
- that updated information, resources, and support for managing allergies and anaphylaxis are regularly provided for families
- risk assessments are developed prior to any excursion or incursion consistent with Reg. 101
- a risk assessment is completed to determine if additional general use adrenaline devices are required
- that they notify the regulatory authority of any serious incident of a child while being educated and cared for at the service within 24 hours.

### MANAGEMENT STRATEGIES WHERE A CHILD IS DIAGNOSED AT RISK OF ANAPHYLAXIS.

#### THE APPROVED PROVIDER/NOMINATED SUPERVISOR WILL:

- meet with the parents/guardians to begin the communication process for managing the child's medical condition
- not permit the child to begin education and care until an ASCIA Action Plan is provided by the family and signed by a medical practitioner
- ensure the ASCIA Action Plan includes:
  - child's name, date of birth
  - a recent photo of the child
  - confirmed allergen(s)- specific details of the child's diagnosed medical condition
  - family/emergency contact details (name and phone number)
  - supporting documentation (if required)
  - triggers for the allergy/anaphylaxis (signs and symptoms)
  - administration of adrenaline autoinjectors
  - first aid/emergency action that will be required
  - contact details and signature of the registered medical practitioner
  - date the plan should be reviewed
- develop and document a risk minimisation plan in collaboration with parents/guardian, by assessing the potential for accidental exposure to allergens while the child at risk of anaphylaxis is in the care of the Service (particular attention should be given to mealtimes as this is a significant risk for children with food allergies)
- ensure the risk minimisation plan is specific to our Service environment, activities, incursions and excursions, and the individual child and is reviewed annually

- ensure that a child who has been prescribed an adrenaline auto-injection device is **not** permitted to attend the Service without a complete auto-injection device kit (which must contain a copy the child's anaphylaxis medical management plan)
- ensure that all staff in the Service know the location of the auto-injection device kit and the child's ASCIA Action Plan
- collaborate with parents/guardians to develop and implement a communication plan and encourage ongoing communication regarding the status of the child's allergies, this policy, and its implementation
- request parental authorisation to display a child's ASCIA Action Plan in key locations at the Service, where educators and staff are able to view these easily while ensuring the privacy, safety and wellbeing of the child (for example, in the child's room, the staff room, kitchen, and / or near the medication cabinet)
- ensure that a notice is displayed prominently in the main entrance of the Service stating that a child diagnosed at risk of anaphylaxis is being cared for or educated at the Service, and providing details of the allergen/s (Reg. 173(2)(f)) [note: this notice should not identify the child]
- display ASCIA First Aid Plan for Anaphylaxis (**ORANGE**) in key locations in the Service
- ensure that all staff responsible for the preparation of food are trained in managing the provision of meals for a child with allergies, including high levels of care and close attention to preventing cross contamination during storage, handling, preparation, and serving of food. Training will also be given in planning appropriate menus including identifying written and hidden sources of food allergens on food labels.
- ensure supervision is managed consistently across mealtimes to maintain effective risk minimisation strategies
- ensure that all relief staff members in the Service have completed training in anaphylaxis management including the administration of an adrenaline auto-injection device, awareness of the symptoms of an anaphylactic reaction and awareness of any child at risk of anaphylaxis, the child's allergies, the individual anaphylaxis medical management plan and the location of the auto-injection device kit
- display an emergency contact card by the telephone
- ensure risk assessments for excursions consider the risk of anaphylaxis
- ensure that risk assessments for transporting children by the Service consider potential risks of anaphylaxis

- ensure that a staff member accompanying children outside the Service carries a copy of the child's ASCIA Action Plan with the auto-injection device kit
- ensure an up-to-date copy of the ASCIA Action Plan is provided whenever any changes have occurred to the child's diagnosis or treatment- [note ASCIA Action Plans do not expire and are valid beyond their review date]
- provide information to the Service community about resources and support for managing allergies and anaphylaxis.

### EDUCATORS WILL:

- read and comply with the *Anaphylaxis Management Policy, Medical Conditions Policy and Administration of Medication Policy*
- ensure that a complete auto-injection device kit (which must contain a copy the child's ASCIA Action Plan signed by the child's registered medical practitioner) is provided by the parent/guardian for the child while at the Service
- ensure a copy of the child's ASCIA Action Plan is visible and known to staff, and students in the Service
- always follow the child's ASICA Action Plan in the event of an allergic reaction, which may progress to anaphylaxis
- practice the administration procedures of the adrenaline auto-injection device using an auto-injection device trainer and 'anaphylaxis scenarios' on a regular basis, preferably quarterly
- ensure the child at risk of anaphylaxis only eats food that has been prepared according to the parents' or guardians' instructions
- always check a meal before it is given to a child with anaphylaxis
- ensure tables and bench tops are washed down effectively before and after eating
- ensure all children wash their hands upon arrival at the Service and before and after eating
- increase supervision of a child at risk of anaphylaxis on special occasions such as excursions, incursions, parties, and family days
- ensure that the auto-injection device kit is:
  - stored in a location that is known to all staff, including relief staff
  - NOT locked in a cupboard
  - easily accessible to adults but inaccessible to children
  - stored in a cool dark place at room temperature
  - NOT refrigerated

- o contains a copy of the child's ASCIA Action Plan
- ensure that the auto-injection device kit containing a copy of the ASCIA Action Plan for each child at risk of anaphylaxis is carried by a staff member accompanying the child when the child is removed from the Service e.g., on excursions that this child attends, transporting the child, or during an emergency evacuation
- regularly check and record the adrenaline auto-injection device expiry date. (The manufacturer will only guarantee the effectiveness of the adrenaline auto-injection device to the end of the nominated expiry month).

#### FAMILIES WILL:

- inform management and staff at the service, either on enrolment or on diagnosis, of their child's allergies and/or risk of anaphylaxis
- provide staff with their child's ASCIA Action Plan giving written authorisation to use the auto-injection device in line with this action plan and signed by a registered medical practitioner
- develop a risk minimisation plan in collaboration with the Nominated Supervisor/Responsible Person and other service staff
- develop a communication plan in collaboration with the Nominated Supervisor/Responsible Person and lead educators
- provide staff with a complete auto-injection device kit **each day** their child attends the Service
- comply with the Service's policy that a child who has been prescribed an adrenaline auto-injection device is **not** permitted to attend the Service or its programs without that device
- maintain a record of the adrenaline auto-injection device expiry date to ensure it is replaced prior to expiry
- assist staff by offering information and answering any questions regarding their child's allergies
- communicate all relevant information and concerns to staff, for example, any matter relating to the health of the child
- notify the Service if their child has had a severe allergic reaction while not at the service- either at home or at another location
- read and be familiar with this policy
- notify staff of any changes to their child's allergy status and provide a new ASCIA Action Plan in accordance with these changes

**IF A CHILD SUFFERS FROM AN ANAPHYLACTIC REACTION THE SERVICE AND STAFF WILL:**

- Follow the child's ASICA Action Plan - administer an adrenaline injector
- Call an ambulance immediately by dialling 000
- Commence first aid measures
- Record the time of administration of adrenaline autoinjector
- If after 5 minutes there is no response, a second adrenaline autoinjector should be administered to the child if available
- Ensure the child experiencing anaphylaxis is lying down or sitting with legs out flat and is not upright
- Do not allow the child to stand or walk (even if they appear well)
- Contact the parent/guardian when practicable
- Contact the emergency contact if the parents or guardian cannot be contacted when practicable
- Notify the regulatory authority within 24 hours

**IN THE EVENT WHERE A CHILD WHO HAS **NOT** BEEN DIAGNOSED AS AT RISK OF ANAPHYLAXIS, BUT WHO APPEARS TO BE HAVING AN ANAPHYLACTIC REACTION:**

- Call an ambulance immediately by dialling 000
- Commence first aid measures
- Administer an adrenaline autoinjector (if available)
- Contact the parent/guardian when practicable
- Contact the emergency contact if the parents or guardian cannot be contacted when practicable
- Notify the regulatory authority within 24 hours.

**REPORTING PROCEDURES**

Any anaphylactic incident is considered a serious incident (Regulation 12).

- staff members involved in the incident are to complete an *Incident, Injury, Trauma and Illness Record* which will be countersigned by the Nominated Supervisor of the Service at the time of the incident
- ensure the parent or guardian signs the *Incident, Injury, Trauma and Illness Record*
- place a copy of the record in the child's individual record
- the Nominated Supervisor will inform the Service management about the incident

- the Nominated Supervisor or the Approved Provider will inform Regulatory Authority of the incident within 24 hours through the [NQA IT System](#) (as per regulations)
- staff will be debriefed after each anaphylaxis incident and the child’s individual ASICA Action Plan and risk minimisation plan evaluated, including a discussion of the effectiveness of the procedure used
- staff will discuss the exposure to the allergen and the strategies that need to be implemented and maintained to prevent further exposure.

### EDUCATING CHILDREN ABOUT ALLERGIES AND ANAPHYLAXIS

Allergy awareness is regarded as an essential part of managing allergies in early childcare services. Our Service will:

- educate children about allergies and the risk of anaphylaxis in an age-appropriate way
- talk to children about foods that are safe and unsafe for the anaphylactic child. They will use terms such as ‘*this food will make \_\_\_\_\_ sick*’, ‘*this food is not good for \_\_\_\_\_*’, and ‘*\_\_\_\_\_ is allergic to that food*’.
- help children understand the seriousness of allergies and the importance of knowing the signs and symptoms of allergic reactions (e.g., itchy, furry, or scratchy throat, itchy or puffy skin, hot, feeling funny)
- educators will talk about strategies to avoid exposure to unsafe foods, such as taking their own plate and utensils, effectively washing their hands before and after eating and not sharing food or drinks/drink bottles
- encourage empathy, acceptance and inclusion of the child with an allergy

### ADDITIONAL INFORMATION

WESTERN AUSTRALIA (WA)

[Managing your child’s anaphylaxis at school or child care](#)  
[Student Health Care in Public Schools Procedures](#)

## CONTINUOUS IMPROVEMENT/REFLECTION

Our *Anaphylaxis Management Policy* will be reviewed on an annual basis in consultation with children, families, staff, educators and management.

## SOURCE

Australian Children’s Education & Care Quality Authority. (2021). [Dealing with Medical Conditions in Children Policy Guidelines](#)

ASCI Action Plans, Treatment Plans, & Checklists for Anaphylaxis and Allergic Reactions: <https://www.allergy.org.au/hp/ascia-plans-action-and-treatment>

Early Childhood Australia Code of Ethics. (2016).

Education and Care Services National Law Act 2010. (Amended 2023).

[Education and Care Services National Regulations](#). (Amended 2023).

Guide to the National Quality Standard. (Amended 2023).

National Allergy Strategy. (2021). [Best practice guidelines for anaphylaxis prevention and management in schools and children’s education and care \(CEC\) services \(Guidelines\)](#).

National Health and Medical Research Council. (2013). *Staying Healthy: Preventing infectious diseases in early childhood education and care services* (5th Ed.). Australia: Commonwealth of Australia. NSW Government. (n.d.).

New South Wales Department of Education and Communities. (2014). *Anaphylaxis Guidelines for Early Childhood Education and Care Services*.

Revised National Quality Standard. (2018).

[Western Australian Education and Care Services National Regulations](#)

## REVIEW

POLICY REVIEWED BY:	KYLIE SHOWMAN	DIRECTOR	APRIL 2025
POLICY REVIEWED		NEXT REVIEW DATE	APRIL 2026
VERSION NUMBER	V1		
MODIFICATIONS	•		
POLICY REVIEWED	PREVIOUS MODIFICATIONS	NEXT REVIEW DATE	